Author Index

Ablett, Steve 59
Adams, Martin R. 81
Ahenkora, Kwaku 131
Akdogan, Hülya 195
Alevisopoulos, Stefan 253
Allan, Gordon J. 445
Allen, P. 71
Apenten, Richard K. Owusu 467, 483
Arendt, E.K. 115

Babu, Yohannan 41
Bai, Hong 95
Bakar, Jamilah 359
Bauer, Rogert 543, 557, 587
Baygar, T. 401
Bhole, Nivrutti G. 107
Borrego, Francisco 291
Bouchard, Christian R. 217
Bouhallab, Saïd 429
Bows, John R. 295, 305
Boziaris, Ionnis S. 81
Brechany, E.Y. 503
Buckley, D.J. 385
Bueno, Julio 209
Bury, Stella 543, 587
Butler, F. 71

Calvo, Carlos 161
Calvo, Miguel 543, 565, 587
Cepeda, Emilio 287
Chatterton, Dereck 543, 587
Chawla, Surinder P. 41
Chen, Jianshe 493
Chung, Yunchung 23
Clarke, Brian 365
Cohen, Yachin 235
Cunha, Luís M. 47

Dadzie, Martin 131
Davies, E. Alison 81
de Kruif, Kees G. 487, 543, 587
Delahunty, C.M. 115
Delves-Broughton, Joss 81
Dibben, David C. 295
Dickinson, Eric 493
Doherty, A.M. 71
Doxastakis, Georgios 253
Drake, Arthur H. 59
Durand, Dominique 451

Erkan, N. 401

Ferreira, Maria 27
Figueroa, C.J.D. 391
Flint. David J. 445
Francis, Gillian A. 1

Galani, Despina 467, 483
Garrote, Raúl L. 167
Ge, Shi-Jun 95
Gökoğlu, N. 401
Gómez-Aldapa, C. 391
Gorban, Ali M.S. 229
Gormley, Ronan 281

Hale, Michael 305
Hall, Laurance D. 305
Hammami, Chokri 145
Hamraoui, Ahmed 573
Hansen, Steen 557
Hashim, Dzulkifly Mat 275
Henry, Gwénaële 429, 543, 587
Hla, P. Kyaw 335
Hogekamp, Stefan 335
Holt, Carl 407, 445, 477, 509, 543, 587
Hong, Seok-In 125
Husband, Fiona A. 509

Iglesias, Olvido 209
Ikeguchi, M. 437
Ipsen, Richard H. 543, 587
Isdell, E. 71
Izzeldin, Omar M. 229

Janes, Ruth 295
Jesus, Edgar F.O. de 173
Jonkman, Margarethe J. 543, 587
Jost, Rolf 27, 533

Kasapis, Stefan 253
Kerry, J.P. 385
Kesnandar, Feri 275
Kiosseoglou, Antonios 253
Klarenbeek, Bert 543, 587
Komitopoulou, Evangelica 81
Kontopidis, George 409, 543, 587
Kyle, William S.A. 33

Ladyzhinski, Ilya 235

© 1999 Blackwell Science Ltd

Latierro, Raul Ortiz de 287
Lavee, Shimon 265
Law, A.J.R. 503
Le Bon, Christel 451
Leaver, Jeffrey 503
Lebrun, Rémi E. 217
Lefêvre, Thierry 419
Léonil, Joëlle 543, 587
Levieux, Didier 429
Lillford, Peter J. 59
Lopes, Ricardo T. 173

McCrae C.H. 503
McDermott, Martin 101
Machado, M. Fátima 47
Mackie, Alan R. 509
McNae, Iain 543, 587
McPhail, Deborah 477, 543, 587
Maire, Jean-Claude 533
Malcata, F. Xavier 245
Marin, Isabelle 517
Marin, Michèle 145
Marshall, Valerie M. 137
Martin, David R. 59
Martínez, Antonio 161
Martínez-Bustos, F. 391
Matexas, Andrew C. 295
Maubois, Jean-Louis 429, 543, 587
Maynard, Françoise 533
Mazurkiewicz, Josef 371
Meton, S. 401
Mitchell, Peter C. 101
Mizrahi, Shimon 235
Mohsin, Md 359
Molinari, Henriette 543, 587
Mollé, Daniel 429, 543, 587
Momoh, Margaret O. 325
Montijano, Helena 291
Moody, William G. 351
Morgan, François 429
Morzel, M. 115
Moulin, Jacques 543, 587
Muhammad, Kharidah 275

Nevison, Ian 543
Nicolai, Taco 451
Nott, Kevin P. 305
Nylander, Tommy 543, 573, 587

O'Beirne, David 1, 317
O'Connor, T.P. 385
Oduro, Ibok 365
Øgendal, Lars 543, 557, 587
Olazar, Martín 287
Olieman, Kees 543, 587
Oliveria, Fernanda A.R. 27, 47
Onilude, Anthony A. 325
Ordorica, F.C.A. 391
Osei-Bonsu, Patterson 131
Otte, Jeanette 543, 587
Özden, Ö. 401

Park, Wan-Soo 125
Patrick, Maria L. 295, 305
Paul, Pushpa 41
Paulsson, Marie 573
Peltre, Gabriel 429
Pérez, M. Dolcres 543, 565, 587
Phirke, Prabhakar S. 107
Pielichowski, Krzysztof 371
Pintado, Manuela E. 245
Prior, Olive 317
Puyol, Pilar 543, 565, 587
Pyun, Yu-Rynag 125

Quarrie, Lynda 445

Ragona, Laura 543, 587
Rahman, Russly Abd. 275
Ramon, Ory 235
Rawson, H.L. 137
Ré, Roberta 167
Relkin, Perla 517
Réné, Frédéric 145
Rischel, Christian 557
Robards, Kevin 265
Rodrigo, Carmen 161
Rodrigo, Mîguel 161
Rossi, Alexandre M. 173
Ryan, Danielle 265

Sá, Maria Manuel 343
San José, María J. 287
Sanchez, Tomás 161
Sanni, Abiodun I. 325
Sastry, Medury D. 41
Sawyer, Lindsay 409, 445, 543, 587
Secretin, Marie-Christine 533
Selamat, Jinap 359
Sereno, Alberto M. 343
Sheehan, E.M. 115
Shimizu, A. 437
Shyu, Yuantay 23
Sikora, Marek 371
Silva, Cristina L.M. 87
Silva, Filipa M. 87

 © 1999 Blackwell Science Ltd

Small, Darryl M. 33
Spiegel, Thomas 523
Subirade, Muriel 419
Sugai, S. 437

Tesch, Ralf 235
Thomas, Christopher 1, 317
Thomas, Paul 41
Tian, Shaojun 33
Tomasik, Piotr 371
Tuiner, R. 487

Vénien, Annie 429
Villegas, R. 385

Walshe, Thomas 281
Wang, Baowu 351
Welch, Robert W. 101
Wilde, Peter J. 509
Wilson, Christine 445
Wu, Su-Ying 409

Xiong, Youling L. 351

Zetta, Laura 543, 587
Zhang, Long-Xiang 95

© 1999 Blackwell Science Ltd

Subject Index

A and B, genetic variants of βLg and reaction kinetics of aggregated proteins with lactose, 523
genetic variants of βLg vary slightly, modification and association, 409
variants of βLg, adsorption, surface tension and dilational modulus and films' compression, 509
AB loop region of βLg has structural changes during dry-way denaturation, 429
Abomasum-soured milk less effective starter for wara protein, minerals and storage, 325
Acceptability, of beef after storage with oxygen scavengers in the packaging, 71
of black tilapia flesh improved when washed with banana ash solution, 359
Acidification, of canned mushrooms, glucono-DDD-lactone and other acids, 161
and changes in physical properties in nata production, 23
storage bacteria and temperature of RTU mixed vegetables, 317
Acidity of gari processed with microwave energy is improved, 365
Acyl chains of soya-oil in protein-stabilized emulsions, autoxidation and changes in βLg chemical structure, 503
Adsorption, of βLg variants A and B to the air-water interface, emulsions and foams, 509
competitive of βLg and phospholipids in emulsions of milk based products, 419
and interfacial properties study of enriched whey proteins, 573, 587
isotherms of phycocolloid gels determined, 209
kinetics in air/water and oil/water interfacial properties study of enriched whey proteins, 573
layer of βLg on globule surface and covalent disulphide cross-linking in heat-set whey protein gels, 493
of roasted coffee and with sugar, shelf-life and water isotherms, 287
Aeromonas hydrophila, storage and food safety of minimally processed vegetables: Review, 1
Agar-agar and water equilibrium, sorption isotherms determination, 209
Agglomeration with steam jet of instant cocoa beverage powders, wetting behaviour, 335
Aggregated whey protein colloid particles *see* AWC particles
Aggregation, of βLg, heat denaturation kinetics with disulphide-linked and hydrophobic whey protein, 467
and denaturation rates of different βLgs and DSC, 477
of expanded monomers and homodiners in βLg denaturation in solution with considerable protein modification, 429
and intermolecular interaction of βLg after heating denaturation and pH, 419
and light scattering analysis with βLg and α-LA interaction and turbid gelation, 557
and rheology of whey proteins processed on large scale vary with enrichment, 587
of thermally denatured βLg, structure, concentration and temperature, 451
in whey proteins and shear, lactose and temperature effects on size and structure, 523
Air/water interface, and adsorption of variants A and b of βLg, emulsions and foams, 509
films from whey proteins, surface tension and visocelastic measurement, 573
Albumin loss with whey in alkaline extraction of field pea proteins, 33
Aldehydes reacting with amino acids in ageing of protein stabilized emulsions, βLg chemical structure, 503
Alicyclobacillus acidoterrestris, pH, temperature and control by nisin, 81
Alkalization and changes in physical properties in nata production, 23
Amide I region of βLg, monmer-dimer equilibrium, heat, concentrations and pH, 419
Amino acid profiles, protein mean density and criteria for infant nutrition, 533
Amino acids, and genetic variants of βLg and A and B's adsorption to the air-water interface, 509
genetic variants denaturation and reactions of βLg, 409

© 1999 Blackwell Science Ltd

in protease hydrolysis of food proteins, 95
Amino-groups reactivity in glycation systems of βLg, association and changes, 429
α-amylases in hydrolysis in high moisture extruders and liquifaction of cereals: Review, 195
Amylase, pancreatic, and enzyme-resistant potato starch processing, 281
Analysis after isoelectric precipitation of lupin protein isolates networks, 253
Anchovy fat content highest in November with seasonal variation, 401
Anions and rates of denaturation and aggregation of βLg, DSC, 477
Anthocyanin content and kinetics of strawberry non-enzymatic browning, 343
Anti bovine βLg antibody from expressed protein from recombinants in *Pichia pastoris*, 445
Appearance, in different methods of salmon preservation and sensory evaluation, 115
with *Lactococcus lactis* as starter for protein-high wara cheese, 325
Apple slices, optimizing vacuum freeze-drying process-quality by RSM, 145
Aroma, compounds and preheated βLg, enhanced foaming and changes in tryptophan fluorescence properties, 517
preservation and storage temperature of coffee roasted with or without sugar, 287
Arrhenius temperature dependence weakly dependent on concentration for rate of aggregation of βLg, 451
Aspergillus oryzae protease in hydrolysis of soybean and egg white proteins, 95
Assessment in Protein Efficiency Ratio and addition of amino acid profiles for infant formulae, 533
Association state and high molecular weight of βLg molecules after glycation in solution, 429
Autoxidation of polyunsaturated acyl chains of soya-oil in protein-stabilized emulsions, changes in βLg chemical structure, 503

Bacillus subtilis spores dormant in low moisture content glassy state, 59
Bacteria (lactic acid) non-thermally inactivated by pressurized carbon dioxide, 125
Bacterial, growth in stored mixed packages of RTU vegetables, acidification and temperature, 317
spores and control in fruit juices by nisin, 81
Bactocatch in microfiltration after ovomucin depletion and properties of egg white, 27
Banana leaf ash solution washing improves sensory attributes of black tilapia flesh, 359
Batch to batch variation and protein levels in manufacture of infant formulae, 533
Bean sprouts in packaged cooked and raw RTU mixed stored vegetables and pathogen growth, 317
Bean (velvet), detoxification and properties of flours, 131
Beef, restructured steaks with beef heart surimi improved flavour, texture and yield, 351
steaks and colour stability with oxygen scavengers in MAP, 71
BET equation for coffee roasted and with sugar sorption isotherms, 287
Beverage, isotherms of coffee roasted with sugar and BET equation, 287
powders of instant cocoa, characterization of wetting behaviour, 335
Binding sites in βLg (figure) and associated structures, 409, 429, 587
Bioreactors in high moisture extrusion with thermally stable enzymes: Review, 195
Black tilapia flesh washed with banana leaf ash solution improves sensory attributes, 359
Bovine, βLg glycation sites, denaturation dry-way and in solution monomers and homodinmers, 429
milk characteristics compared to ewes' and goats', 245
milk proteins denaturation of βLg with FT-IR spectroscopy is concentration dependent, 419
see also cow, milk *and* whey proteins
Bovine α-lactalbumin, *see also* α-lactalbumin *and* α-LA
Bovine β-lactoglobulin, *see also* β-lactobulin, βLg *and* BLg
Bovine lysozyme *see* BLZ
Bovine Serum Albumin, *see also* BSA
Bovine Serum Albumin lowest surface activity in study of enriched whey protein interfacial properties, 573

 © 1999 Blackwell Science Ltd

Breast milk composition and optimization of infant formulae, 533
Browning, non-enzymatic, kinetics for onion and strawberry frozen storage, 343
BSA, in apparent chemical compositions of 9 whey proteins from large scale processing, 543
Buffer, in DSC of samples of βLg and α-LA in large scale products of whey protein processing, 587
in surface rheology comparisons of A and B variants of βLg, 509
Buffers and the rate of denatuation and aggregation of βLgs' differences, 477

C variant of βLg from Jersey cows' milk whey protein, 409
Calcium, in βLa and α-LA in *MADGELAS* survey of whey proteins rheological properties, 565
and ELZ in equine milk protein structures, 437
and quality of cornflour for tortillas after extrusion or traditional processing, 391
Calyx, in βLg structure (figure) as ligand binding site, 409
in βLg structure and site of phosphate binding, 477
Camel and cow milk lipid, cholesteryl ester fatty acids and nutritional differences, 229
Campylobacter jejuni, storage and food safety of minimally processed vegetables: Review, 1
Canned, food quality degradation formulas for thermal processing, 167
foods model of quality degradation in thermal processing, 167
mushrooms, acidification, time and temperature, 161
Caprine milk characteristics compared to bovine and ovine, 245
Carbon dioxide, for minimally processed vegetables and food safety: Review, 1
pressurized inhibits *Lactobacillus plantarum*, 125
Caseins in breast milk compositon and optimization of infant formulae, 533
κ-Casein (glyco) macropeptide content measured from 9 large-scale processes for whey proteins, 543
Cassava mash fermented and processed with microwave energy, quality assessment, 365
Cation-rich region of βLg surface and postulated inhibition of aggregation at high temperatures, 477
Cellulose from gamma-irradiated fruit pulp identified by ESR, 173
Cereals, and hydrolysis in high moisture twin screw food extruder: Review, 195
and kinetics of moisture uptake in R-T-E, milk fat and solids concentration, 47
Cheese, analogs from high moisture extrudation, die openings, water and fat content: Review, 195
(wara) and selection of starters for shelf-life and protein production, 325
Chemical, apparent compositions of 9 semi-or commercial whey protein concentrates, isolates and fractions, 543
modification of βLg *see* lactosylation
pre-treatments and productivity of pigeon pea grain dehulling, 107
Cholesteryl ester fatty acids in camel and cow milk, nutritional differences, 229
Citric acid in canning mushrooms, temperature and times, 161
Clostridium botulinum, storage and food safety of minimally processed vegetables: Review, 1
Cocoa instant beverage powders wetting behaviour, characterization, 355
Coffee roasted with sugar water sorption isotherms BET equation, 287
Colloids in heat-set whey proteins and surfactants, competitive adsorption, 493
Colour, of black tilapia flesh improved when washed with banana ash solution, 359
of canned mushrooms acidified with glucono-DDD-lactone and best temperature/times, 161
changes in pasteurization of cupuaça puree and kinetics model, 87
of field peas protein extracted with salt, 33
of gari processed with microwave energy is improved, 365
and kinetics for strawberry and onion non-enzymatic browning, 343
and packaged cooked and raw RTU mixed stored vegetables, 317
stability of beef muscles with oxygen scavengers in MAP, 71
stability and lipid oxidation of gelatin dipped pieces of cooled ham and bacon in frozen storage, 385
vacuum freeze-dried apple slices and RSM process, quality optimization, 145

© 1999 Blackwell Science Ltd

Colustrum and mature milk from camel, chloresteryl ester fatty acids, 229
Commercial and semi-commercial processesing and damage to whey proteins, 543
Competitive adsorption in protein-stabilized emulsions and chemical changes in βLg structure, 503
Compositions, apparent of nine whey protein concentrates, isolates or fractions commercially produced, 543
Concentrates, isolates and fractions of nine whey proteins produced commercially or semi-commercially, apparent chemical compositions, 543
isolates, and fractions of nine whey proteins produced commercially or semi-commercially, some physico-chemical properties, 587
of whey proteins and interfacial properties, oil/water and air/water, 573
Concentration, in heating denaturation of milk proteins, βLg in monmeric or dimeric forms, 419
viscosity, stability, and pH with EPS/AWC in whey protein interactions, 487
Conformational, instability in equine milk proteins and other properties, 437
modification of βLg, temperature and pH, monomeric and dimeric βLg, 409, 419, 429
Cooked and raw RTU vegetables, storage temperature with acidification, 317
Cooking, enzyme-resistant potato starch and other processing methods, 281
of fermented casava mash (gari) improved using microwave energy, 365
loss with tapioca starch and potato starch noodle, 275
yield of reformed pigmeat, sensory quality and polyphosphates, 101
Corn starch in study of rheological properties of starch-water-sugar systems, 371
Corn tortillas, flour quality after extrusion or traditional processing, 391
Correlation coefficients of instrumental and sensory data on texture in stirred yoghurt, 137
Cotyledon adhesion of pigeonpea grain after pre-treatments, 107
Covalent, disulphide cross-linking and globule surface adsorption of βLg in heat-set whey protein gels, 493
modification of protein-stabilized emulsions, βLg chemical structure and ageing, 503
Cow and camel milk lipid, cholesteryl ester fatty acids and nutritional differences, 229
Cows' milk, characteristics compared to sheeps' and goats', 245
see also bovine, whey proteins *and MADGELAS* Group
Cross-flow tangential microfiltration after ovomucin depletion of egg white, 27
Cross-linking with glutaraldehyde and enzyme immobilization in hydrolysis of proteins, 95
Crystals, of βLg and figures of structure, 409
of βLg in whey protein products of large scale processes and retained native fold, 587
Cucco olives and differing amounts and times of phenolic contents, 265
Cultivars, of potato not affecting enzyme resistant potato starch, 281
of pulses and responses to dehulling pre-treatments, 107
Cupuaçа puree thermal processing model, colour, and kinetics, 87
Cured cooked meats, polyphosphates and properties of reformed pigmeat shoulder, 101
Cystine 121 increased reactivity with higher pH and temperature, 409

Dairy fermentations of EPS-producing strains for stirred yoghurt, 137
Degradation of quality, verifying formula for thermally processed canned foods, 167
Dehulling and stength properties after pre-treatments of pigeonpea grain, 107
Dehydration of vacuum freeze-dried apple slices and RSM process-quality optimization, 145
Denaturation, and aggregation of different sources of βLg from DSC, 477
of βLg kinetics, aggregation under shear and lactose, 523
and βLg, structure independent of concentration and temperature, 451
of bovine milk proteins, βLg with FT-IR spectroscopy is concentration dependent, 419
of cow, goat and ewe's milk proteins and pH, 245
of protein isolates from lupin flour, physical chacterisitics of networks, 253

 © 1999 Blackwell Science Ltd

see also lactosylation
Depletion flocculation and elastoviscosity in heat-set whey proteins with surfactants, 493
Depletion interaction, stability, viscosity, concentrations and pH of EPS/whey protein mixtures, 487
Desorption, heat in agar-water gels and temperature, isosteric heat method, 209
roasted coffee and with sugar, shelf-life and moisture, 291
Detection of irradiation in lamb meat with bone using ESR, 41
Detoxification of velvet bean, processing and properties of flours, 131
Dextrose Equivalent *see* DE
DGML and viscoelasticity of heat-set whey protein emulsion gels, 493
DGMO and viscoelasticity of heat-set whey protein emulsion gels, 493
Dialysis and isoelectric precipitation in preparation of networks of lupin protein isolates, 253
Die openings, screw speed and moisture in wet extrusion and texturization: Review, 195
Differential Scanning Calorimetry *see* DSC
Diglycerol monolaurate *see* DGML
Diglycerol monooleate *see* DGMO
Dimer dissociation, and sulphur-disulphide bonds in βLg and flexibility, 483
and sulphur-disulphide and covalent bonds in βLg, 467
Dimer and monomer equilibrium, surface rheology, pH, adsorption rate and βLg variants A and B, 509
Dipalmitoylphosphatidylcholine *see* DPPC
Directives of EC and inclusion of vegetable proteins in infant formulae, 533
Disinfection of minimally processed vegetables: Review, 1
Dispersion of cocoa instant beverage powders after steam jet agglomeration, 335
Disulphide bonding in lupin protein isolates thermally induced networks, 253
Disulphide-linked and hydrophobic aggregates from heat denatured βLg, kinetics, 467
Dithiothreitol *see* DTT
Dormancy and low moisture glass transition in bacterial spores, 59
Dose determination in fruit pulp after gamma-irradiation, 173
Dry-way denaturation of βLg structural changes only in AB loop region, 429
Drying, of fermented casava mash (gari) improved using microwave energy, 365
methods for isolates of field pea proteins, 33
DSC, and βLg denatureated and aggregated, effect of anions, 477, 565, 587
and characteristics of thermally induced networks of lupin protein isolates, 253
in consideration of moisture, dormancy and glassy state of bacterial spores, 59
in studies of rheological properties of starch-water-sugar systems, 371
and variation in ewe and goat milk proteins with genetics, 245
Dynamic oscillation of lupin protein isolates thermally induced networks, 253

EDTA in canning mushrooms, temperature and times, 161
Egg white, microfiltration, ovomucin depletion and micobiological reduction, 27
and soybean proteins hydrolysis with Aspergillus oryzae, 95
see also HLZ
ELA and conformational instability, subsite structures and binding of calcium, 437
Elastic modulus recovery in heat-set whey proteins with surfactants, 493
Elasticity, of gels found in MADGELAS survey of whey proteins, 565
in lupin protein isolates thermally induced networks, 253
and moisture changes in preparation of nata, 23
of tapioca starch and potato starch noodle mixtures, 275
Electron Spin Resonance *see* ESR
Electrophoresis, in kinetics study of hydrophobic and disulphide-linked aggregates of βLg, 467
in testing nine whey proteins produced commercially or semi-commercially, apparent chemical

© 1999 Blackwell Science Ltd

compositions, 543
whey and characterisation of ewe and goats' milk proteins, 245
ELG and conformation, monomeric structure, folding and kinetics, 437
Ellipsometry in studies of interfacial properties of whey proteins, air/water, oil/water, 573, 587
ELZ and hydrogen bonds in figures of structures of lysozomes, 437
Emulsion gels and competitive adsorption in heat-set whey proteins, 493
Emulsions, foams and the A and B genetic variants of βLg's surface rheology, 509
from milk proteins, stability and concentrations, 419
protein-stabilized and ageing chemical changes in βLg structure, 503
Emuslification capacity of velvet bean flours after heat processing, 131
Energy and maple sap membrane sucrose concentration polarization and reverse osmosis, 217
Engraulis encrasicolus see anchovy
Enzyme-resistant potato starch and effects of cooking methods, 281
Enzymes, in high moisture extrusion bioreactors for starch hydrolysis: Review, 195
and total hydrolysis of food proteins by soluble and immobilized protease, 95
Equilibrium of water agar-agar gels, determination and correlation of sorption isotherms, 209
Equine α-lactalbumin *see* ELA
Equine β-lactoglobulin *see* ELG
Equine milk lysozyme *see* ELZ
Equine milk proteins compared to bovine, conformation of I strand, 437
Escheria coli 0157:H7, storage and food safety of minimally processed vegetables: Review, 1
ESR, in detection of irradiation of lamb meat with bone, 41
and identification of gamma-irradiated fruit pulp, 173
Esterified fraction of camel and cow milk, differences in chloresteryl, 229
Ewes' milk characteristics compared to cows' and goats', 245
Exopolysaccharide, *see also* EPS
Exopolysaccharide-producing strains of thermophilic lactic acid bacteria and properties of stirred yoghurt, 137
Exopolysaccharides from *Lactococcus lactis* and interactions with whey protein aggregates, 487
Expanded monomers and homodiners in βLg denaturation in solution with considerable protein modification, 429
Expression of recombinant wild-type and mutant βLgs in yeast *Pichia pastoris*, 445
Extruders using high moisture and twin screws, rheological properties: Review, 195
Extrusion and quality of corn tortillas after extrusion or traditional processing, 391

Fat analogs from high moisture extrudation, pH and temperature: Review, 195
Fat content of anchovies varies with seasons, highest in November, 401
Fatty acids in camel and cow milk, differences in chloresteryl, 229
Fermentation, with different EPS strains of thermophilic lactic acid bacteria, stirred yoghurt texture, 137
with lactic acid as starter for improved wara cheese, 325
in lightly preserved salmon, sensory evaluation, 115
Fermented casava mash production improved using microwave energy, 365
Fermented cassava mash, *see also* gari
Fermented whey proteins and interactions with EPS, pH, concentrations and stability, 487
Field peas proteins isolated and physical properties determined, 33
Films of protein and genetic variants A and B of βLg, adsorption rates, 509
Fish, black tilapia qualities improved with banana ash solution washing, 359
light preservation of salmon and sensory evaluation by free-choice profiling, 115
seasonal variation of oil content in anchovies, 401

 © 1999 Blackwell Science Ltd

Flavonoid stability, neohesperidin DC in water-organic solvent mixtures, 291
Flavour, of black tilapia flesh improved when washed with banana ash solution, 359
of canned mushrooms acidified with glucono-DDD-lactone prefered, 161
different methods of salmon preservation and sensory evaluation, 115
and *Lactococcus lactis* as starter for protein-high wara cheese, 325
of low-cost protein from high moisture extrusion products: Review, 195
of restructured beef steak improved with propyl gallate-washed beef heart surimi, 351
Flexibility, and protein conformational stability, sulphur-disulfide PDS/βLg exchange, 483
Flours, from velvet bean after heat processing, composition and functional properties, 131
quality for corn tortillas from extrusion or traditional processes, 391
Flow rate, in high moisture twin screw food extruder and rheological properties: Review, 195
maple sap membrane sucrose concentration polarization and reverse osmosis, 217
Foaming, and other physical property changes in microfiltration of egg white, 27
properties enhanced in preheated βLg and added isoamyl acetate, 517
Foams, capacity and stability of velvet bean flours after heat processing, 131
emulsions and the A and B genetic variants of βLg's surface rheology, 509
Food control of fruit pulp after gamma-irradiation, 173
Food irradiation, detection by ESR in lamb meat with bone, 41
ESR used in identification in fruit pulp, 173
Food preservation, effects of high pressure CO^2 on lactic acid bacteria, 125
Food processing using microwave phase control heating, model and examples, 295, 305
Food quality, of canned mushrooms, treated with glucono-DDD-lactone and other acids, 161
control of fruit pulp after gamma-irradiation, 173
proteins at low cost from high moisture extrusion products: Review, 195
Food safety, microbiology of minimally processed vegetables: Review, 1
Formula verification for estimating quality factor degradation in heat processed canned foods, 167
Fourier-transform infrared *see* FT-IR
Fourier-transformation and speed of establishing protein crystal data, 409
Fractal structure of aggregates of βLg with heat-denaturation of bovine milk, 451
Fractionation of egg white with ovomucin depletion and microfiltration, 27
Fractions, of enriched whey proteins and interfacial properties, oil/water and air/water, 573
isolates, and concentrates of nine whey proteins produced commercially or semi-commercially, apparent chemical compositions, 543
isolates, and concentrates of nine whey proteins produced commercially or semi-commercially, some physico-chemical properties, 583
Free radicals in irradiated lamb meat with bone detected by ESR, 41
Free-choice profiling in sensory evaluation of salmon light preservation methods, 115
Freeze-drying, of field pea protein isolates and functional properties, 33
(vacuum) of apple slices process-quality optimized by RSM, 145
Freezing, enzyme-resistant potato starch and other processing methods, 281
rate and molecular changes in apple slices and RSM process-quality, 145
Frozen storage, gelatin dip and quality of cooked ham and bacon pieces, 385
and non-enzymatic browning of fruit and vegetables, 343
Fruit, juices and control of bacterial spores by nisin, 81
non-enzymatic browning kinetics for strawberry in frozen storage, 343
pulp and identification by ESR of gamma irradiation, 173
puree thermal processing model, colour, kinetics and critical times for cupuaçu, 87
RSM process, quality optimization of vacuum freeze-drying apple slices, 145
Fruits of olives, stages and phenolic contents on maturation, 265

© 1999 Blackwell Science Ltd

FT-IR spectroscopy and properties of βLg in denaturation and aggregation, 419
Fuel economy improves when gari is processed with microwave energy, 365
Functional properties, and chemical changes in βLg in ageing of protein-stabilized emulsions, 503
from MADGELAS Group conference on whey proteins, 487-587
Functionality, of dissociation, unfolding, with disulphide exxchange and aggregation, 409
research requires βLg from recombinant and mutant βLgs, 445

GAB equation for coffee roasted and sugar, sorption isotherms, 287
β-galactosidase, and *Lactococcus lactis* as starter for protein-high wara cheese, 325
Gamma-irradiation, dectection using ESR for lamb meat with bone, 41
ESR used in identification in fruit pulp, 173
Gari processed with microwave energy, quality assessment, 365
Gel, strength of, in the whey proteins examined in the *MADGELAS* survey of commercial products, 565, 587
time inversely dependent on concentration for heat-denaturation and βLg, 451
Gelatin dip for colour and oxidation preservation of cooked pigmeat in frozen storage, 385
Gelatinization, of fermented casava mash (gari) using microwave energy, 365
in study of rheological properties of starch-water-sugar systems, 371
Gelation, and other characteristics of thermally induced networks of lupin protein isolates, 253
turbid with low salt and high pH at 67.5 degrees C, interactions of βLg and α-LA, 557
Gels, and determination of sorption isotherms, water agar-agar equilibrium, 209
from βLg, different pH ranges at isoelectric point and neutral pH, heat and concentration, 419
with glucose or salt solution and water sorption isotherms, 235
in thermal imaging with microwave phase control heating, 295, 305
two microstructures in aggregation from denaturation of bovine βLg with pHs and temperatures, 419
and viscoelasticity with oil and water-soluble surfactants in heat-set whey proteins, 493
Genetic variants, of 5 strains of bovine βLg and differentation in Structure, 409, 509
A and B of βLg and reaction kinetics of aggregated proteins with lactose, 523
of βLg and A and B's adsorption to the air-water interface, 509
of βLg show no difference in aggregation process, 451
in sheep and goat produce different proteins in milk, 245
Glass transition, and dormant condition of bacterial spores, 59
kinetics for stored strawberry and onion non-enzymatic browning, 343
Glassy state and low moisture dormancy of *Bacillus subtilis* spores, 59
Globular proteins of βLg and enhanced foaming properties with isoamyl acetate, 517
Globules, (molten) in transition from native to unfolded state of βLg and temperature, 483
proteins and aggregation-gels, secondary structures, 419, 451
and unfolding in growth of aggregation of βLg, kinetics, concentration and ionic strength, 451
Globulin in lupin and other legume protein isolates, 253
Glucono-DDD-lactone and other acids for canning mushrooms, 161
Glucose and salt solutions in hydrogels, osmotic and network pressures model, 235
Glutaraldehyde cross-linking and enzyme immobilization in hydrolysis of food proteins, 95
Glutathione reduced *see* GSH
Glycation sites in bovine βLg, denaturation dry-way and in solution, monomers and homodimers, 429
Glycerol monooleate *see* GMO
GMO and viscoelasticity of heat-set whey protein emulsion gels, 493
Goat and ewes' milk proteins and genetic variation, electrophoresis, 245
Gravlax lightly preserved salmon, sensory evaluation by free-choice profiling, 115
Guggenheim-Anderson-de Boer model *see* GAB

 © 1999 Blackwell Science Ltd

Headspace gases and colour stability of beef muscles with oxygen scavengers, 71
Heart of beef surimi in restructured beef steaks improved sensory properties, 351
Heat, of adsorption and desorption in water agar-agar gels, and hysteresis, 209
and concentration in denaturation of milk proteins, βLg in monmeric or dimeric forms, 419
denaturation, βLg aggregate structure independent of concentration and temperature, 451
denaturation and βLg, kinetics of hydrophobic and disulphide-linked aggregates, 467
and disulphide bond mediated aggregation of βLg, non-covalent bonds, 467
and effects on bovine βLg structure in denaturation, 419, 429, 453, 469
and rates of denaturation and aggregation of different βLgs, 477
treatment and timing of canned mushrooms acidified with glucono-DDD-lactone, 161
Heat transfer, enhanced with microwave phase control heating, 295
and quality degradation factor in kinetic formula verification for canned foods, 167
α-helix, in βLg secondary structure loss and relative movement during heating, 407, 409, 419
see also unfolding
Hen egg white lysozyme *see* HLZ
Henderson model and sorption and desorption heat in agar-agar and water gels, 209
High moisture food extrusion, rheological properties of proteins and starches: Review, 195
High Performance Liquid Chromatography *see* HPLC
HLZ, βLg and calcium in comparison with equine milk proteins, 437
Hot milling and productivity of pigeonpea grain dehulling, 107
HPLC in monitoring phenolic content of maturing olives, 265
Hydration rate for R-T-E cereals higher with low fat milk, 47
Hydrogels, osmotic pressure, water and network pressure and syneresis, 235
Hydrogen bonds during heat induced denaturation and aggregation of βLg, 419
Hydrolysis, of food proteins with soluble and immobilized protease, 95
of neohesperidin DC in water-organic solvent mixtures and shelf-life, 291
Hydrophobic, and disulphide-linked aggregates, kinetics for βLg, 467
regions and ageing of chemical structure of βLg in protein-stabilized emulsions, 503
sites in unfolding in βLg and other lipocalins, 483
Hydrophobic interactions, of bovine βLg and SM with DPPC, 419
in lupin protein isolates thermally induced networks, 253
Hydrophobicity, of variant B of βLg may alter adsoption rate, 509
Hygroscopic solids and water activity isotherms of adsorption and desorption, 209
Hysteresis in water agar-agar gels, determination and correlation of sorption isotherms, 209

Identification of gamma-irradiated fruit pulp using ESR, 173
Immobilized and soluble protease in hydrolysis of food proteins, 95
Immunochemical characterization of βLg and AB loop region changes, 429
Infant nutrition and aspects of whey protein usage, approach to breast milk composition, 533
Instant cocoa beverage powders wetting behaviour, characterization, 335
Interaction, of βLg and α-LA in high pH gelation and low salt at 67.5 degrees C., 557
in denaturation of milk proteins, βLg in monmeric or dimeric forms and aggregation, 419
of EPS and whey protein aggregates, 487
of EPSs from thermophilic lactic acid bacteria and milk proteins in yoghurt, 137
MAP and food safety of minimally processed vegetables: Review, 1
of phosphate anion and cation-rich region of βLg surface and inhibition of aggregation at high temperatures, 477
Interface adsorption of proteins, rheology, pH, adsorption rate and βLg variants A and B, 509
Interfacial properties of whey proteins, air/water, oil/water and ellipsometry, 573, 587
Interference techniques, microwave phase control heating in food processing, 295, 305

© 1999 Blackwell Science Ltd

Intermolecular interaction and aggregation of βLg after thermal denaturation of bovine milk, 419
Ionic strength and aggregtion, heating time and concentration, 451, 587
Irradiation detection, in fruit pulp by ESR, 173
in lamb meat with bone using ESR and signal strength, 41
Isoelectric point, of βLg in denaturation and aggregation formation of particulate gel, 419
for βLg of pH 5.2 denaturation and aggregation as well as isothermal at pH7, 477
and noncovalent interactions of aggregated βLg and temperature, 467
Isoelectric precipitation of lupin protein isolates networks analyzed, 253
Isolates, concentrates and fractions of nine whey proteins produced commercially or semi-commercially, apparent chemical compositions, 543
concentrates and fractions of nine whey proteins produced commercially or semi-commercially, some physico-chemical properties, 583
of field pea proteins and drying methods, 33
of whey proteins and interfacial properties, oil/water and air/water, 573
Isotherms, for coffee roasted with and without sugar, 287
of R-T-E cereals moisture uptake with low-fat milk, 47
of solutions of hydrogels at high water activity, 235
sorption equations for water agar-agar gels' determination, 209

Kinetics, and critical times of cupuaçu puree thermal processing model, 87
of denaturing βLg and aggregation under shear with lactose, 523
of heat transfer and formula verification for quality degradation factor in canned foods, 167
of hydrophobic and disulphide-linked aggregates from heat denatured βLg, 467
of moisture uptake and solids' concentration in R-T-E breakfast cereals, 47
of non-enzymatic browning, time, temperature, and moisture of vegetable and fruit, 343
spreading and air/water and oil/water interfacial properties in enriched whey proteins, 573
Kiwi fruit pulp gamma irradiation identified with ESR, 173

α-lactalbumin, and β-lactoglobulin from genetic variants in sheep's and goat's milk, 245
and βLg interactions in high pH and low salt at 67.5 degrees C., turbid gelation, 557
content measured from nine large-scale processes for whey proteins, 453
in enriched whey proteins, interfacial properties at oil/water and air/water, 573
in *MADGELAS* survey of whey proteins for rheological properties, 565
in optimizing infant formulae in approach to compositon of breast milk, 533
and strong binding site for calcium in equine milk protein, 437
see also α-LA
β-lactoglobulin, A and B genetic variants and reaction kinetics of aggregated proteins with lactose, 523
and α-lactalbumin from genetic variants in sheep's and goat's milk, 245
and α-lactalbumin interactions in high pH, low salt at 67.5 degrees C. and turbid gelation, 557
after heating denaturation, intermolecular interaction and aggregation, 419
aggregation after heat-denaturation and light scattering, 451
apparent chemical compositions of nine semi-commercial or commercial whey protein products, 543
chemical structure, sites and ageing of protein-stabilized emulsions, 503
crystals and proportionate groupings in nine whey protein products from large scale processes, 587
denaturation and aggregation and effects of anions measured by DSC, 481
enhanced foaming and changes in tryptophan fluorescence properties with preheating and added isoamyl acetate, 517
in enriched whey proteins, interfacial properties at oil/water and air/water, 573
from cow milk's properties not further deductable from X-ray crystallographic analysis, 409

 © 1999 Blackwell Science Ltd

and heat denaturation, kinetics of hydrophobic and disulphide-linked aggregates, 467
and α-lactalbumin in *MADGELAS* survey of whey proteins for rheological properties, 565, 587
and PDS sulphur-disulphide exchange and relation to protein conformational stability, 483
possibly constructed from wild-type and mutant proteins in *Pichia pastoris*, 445
and rate of sulfur-disulfide exchange with PDS, conformational stability, 483
three groups in tests of nine semi-commercial or commercial whey protein products, 543, 583
variants A and B adsorption to the air-water interface for emulsions and foams, 509
see also BLG, βLg *or* BLg
Lactic acid, bacteria non-thermally inactivated by pressurized carbon dioxide, 125
and effective starter for protein-high wara cheese, 325
Lactobacillus plantarum inhibited by pressurized carbon dioxide, 125
Lactococcus lactis effective starter for protein-high wara cheese, 325
Lactococcus lactis subsp. *cremonis* strain NIZO B40 source of EPS and fermented whey proteins, 487
Lactoferrin in approach to composition of breast milk in infant formulae, 533
Lactose, heating temperature, size and structure in effects on aggregated whey proteins of shear, 523
linkage and covalent complex with βLg modifications and conformational changes, 429
Lactosylation, degree in tests of 9 commercial and semi-commercial products of whey proteins, 453, 483, 587
and interfacial properties study of enriched whey proteins, 573
Maillard reaction on warm lysine and lactose modification of βLg, 409, 429
Lamb meat with bone, irradiation detectable by ESR but reduced by cooking, 41
Legume protein isolates and drying methods, 33
Ligand binding, in physico-chemical properties of nine whey protein products from large scale processing, 587
site in βLg (figure) and structure, 409
variation in βLg from remcombinant wild-type and mutant *Pichia pastoris*, 445
Light scattering, analysis of βLg and α-LA interaction and turbid gelation, 557
and some physico-chemical properties of nine whey proteins from large scale processes, 587
and studies of β-lactoglobulin aggregation after heat-denaturation, 451
Lime and quality of cornflour for tortillas after extrusion or traditional processing, 391
Lipid, in camel and cow milk, cholesteryl ester fatty acids and nutritional differences, 229
composition from nine large-scale methods of processing whey proteins, 453
oxidation of pieces of gelatin dipped cooled ham and bacon in frozen storage, 385
Lipids, and interfacial properties study of enriched whey proteins, 573
Liquifaction in high moisture extrusion for low-cost nutritious protein: Review, 195
Listeria innocua in RTU vegetable mixtures, temperature and acidification, 317
Listeria monocytogenes, in RTU vegetable mixtures, temperature and acidification, 317
storage and food safety of minimally processed vegetables: Review, 1
Loop regions of βLg variation with pH and crytal form, 409
Lupinus albus ssp. *Graecus* protein isolates thermally induced networks' characteristics, 253
Lysine residues and reactivity of of glycated βLg, 409, 429
Lysozymes of equine and hen used in stability study of whey proteins, 437

MADGELAS: Molecular basis for the aggregation, denaturation, gelation and surface activity of whey proteins: new formulations, 407-587
Magnetic Resonance Imaging *see* MRI
Maillard reaction on warm lysine and lactose modification of βLg, 409, 429
Manzanillo olives and differing amounts and times of phenolic contents, 265
MAP, pathogens and food safety with minimal processing of vegetables: Review, 1
Maple sap, reverse osmosis and membrane sucrose concentration polarization modelling, 217

© 1999 Blackwell Science Ltd

Mass balance, maple sap membrane sucrose concentration polarization and reverse osmosis, 217
Maturation and changes in phenolic content of olives, 265
Mature milk from camel and cow, chloresteryl ester fatty acids, 229
Maximum Slicing Rate of reformed pigmeat shoulder and sensory qualities, 101
Meat packaging with oxygen scavengers and outer mother MAP pack, 71
Meat piece size and phosphate content effect sensory and functional qualities of reformed pigmeat, 101
Medium chain fatty acids higher content in mature camel milk than cows', 229
Membrane, and ovomucin clogging during microfiltration of egg white, 27
  sucrose concentration polarization by reverse osmosis of maple sap, 217
Membrane fluidity and gel-to-liquid-crystalline phase transition of bovine βLg, 419
Mesophilic bacteria in packaged cooked and raw mixed vegetables, 317
Metmyoglobin in six beef muscles after storage in MAP overwrap trays with oxygen scavengers, 71
Microbial competition in mixed packaged cooked and raw vegetables, 317
Microbiological, reduction after microfiltation of egg white is not large, 27
  safety of minimally processed vegetables: Review, 1
Microfiltration of egg white, ovomucin depletion and physical properties, 27
Microparticulation of aggregated whey proteins with shear and lactose, 523
Microstructural analysis of R-T-E cereals and moisture uptake kinetics of milk, 47
Microwave energy in gari production improves quality, 365
Microwave phase control heating in heat transfer for food processing, 295, 305
Milk, fat uptake, kinetics of moisture uptake and solids concentration for R-T-E cereals, 47
  lipids from camel and cow, cholesteryl ester fatty acids compared, 229
  protein βLg properties not deductable from X-ray crystallographic analysis, 409
  protein in kinetics of heat denatured aggregation of bovine βLg, 467
  proteins denaturation of βLg with FT-IR spectroscopy is concentration dependent, 419
  proteins and EPS strains of thermophilic lactic acid bacteria, stirred yoghurt texture, 137
  proteins from breeds of Portugese sheep and goats, genetic variation, 245
  whey proteins, Conference at Hannah Research Institute, *MADGELAS* Group, 407-487
  see also whey proteins
Milk Fat Globule Membrane *see* MFGN
Minerals, and *Lactococcus lactis* starter for protein-high wara cheese, 325
  and quality of cornflour for tortillas after extrusion or traditional processing, 391
Minimal processing, pathogens, MAP and food safety of vegetables: Review, 1
Model, aggregation of βLg at pH7, movement, globules and time, 453
  cupuaçа puree thermal processing, colour changes, critical times and kinetics, 87
  of high moisture extrusion, temperature, flow rate and rheological properties: Review, 195
  kinetics of moisture uptake, milk fat and solids concentration for R-T-E cereals, 47
  kinetics for stored strawberry and onion non-enzymatic browning, 343
  microwave phase control heating for food processing, 295, 305
  reverse osmosis and membrane sucrose concentration polarization for maple sap, 217
  sorption and desorption isotherms in water agar-agar gels, 209
  sorption isotherms of coffee roasted and with sugar, 287
  sorption isotherms of high water activity hydrogels, 235
Modification, of β-strand I in investigation of βLg monomeric structure, 445
  of βLg tested in nine commercial whey protein products, lactosylation and free sulphydryl groups, 543, 587
Modified atmosphere mother pack and colour stability of beef muscles with oxygen scavengers, 71
Modified Atmosphere Packaging, *see also* MAP
Moisture, content, and kinetics for onion and strawberry storage non-enzymatic browning, 343
  dormancy and glassy state of bacterial spores, 59

 © 1999 Blackwell Science Ltd

of gari processed with microwave energy is improved, 365
high in extrusion of low-cost protein and starches: Review, 195
in hysteresis and determination of isotherms of water-agar gels, 209
uptake kinetics of milk fat and solids concentration for R-T-E cereals, 47
see also water
Molecular size, of aggregate in denatured and aggregated whey proteins, 409, 419, 523
in hydrolysis of food proteins with soluble and immobilized protease, 95
Monolayer, with emulsifiers and viscoelasticity of heat-set whey protein emulsion gels, 493
moisture content, of coffee roasted and with sugar, 287
Monomer interactions, surface rheology, pH, adsorption rate and βLg variants A and B, 509
Monomeric βLg, conformational modification of βLg, temperature and pH, 409, 419
possibly constructed from wild-type and mutant proteins in *Pichia pastoris*, 445
Mouthfeel, of A and B variants of βLg in shearing, lactose and aggregate particle size, 523
of low-cost protein from high moisture extrusion products: Review, 195
MRI imaging in microwave phase control heating for optimal food processing, 305
Mucuna pruriens (L.) DC. *var. utilis see* velvet bean
Muddy odour, of black tilapia flesh improved when washed with banana ash solution, 359
Mushrooms, acidification with glucono-DDD-lactone and others in canning, 161
Mutant βLg from *Pichia pastoris* reqires destabilisation to monomer, 445

Nata (bacterial cellulose), processing and physical properties, 23
Neohesperidin dihydrochalcone hydrolysis in water-organic solvent mixtures, 291
Neohesperidin dihydrochalcone, *see also* neohesperidin DC
Network, formation and emulsifiers in heat-set whey protein gels, 493
pressure and water activity on hydrogels with salt or glucose solutions, 235
Networks, of lupin protein isolates' physical characteristics after heating, 253
Nisin and control of *Alicyclobacillus acidoterrestris* in fruit juices, 81
Nixtamliization leads to lower protein efficiency in corn tortillas than extrusion, 391
NMR, in consideration of moisture, dormancy and glassy state of bacterial spores, 59
in examination of large scale processed whey proteins, 543, 587
Non-covalent, asociation with free thiol group and interactions in aqueous βLg glycation, 429
bonds in kinetics of heat denatured aggregation of bovine βLg, 467
Non-enzymatic browning of kinetics, for frozen storage of vegetable and fruit, 343
Non-gelling properties of EPS/AWC mixtures in denatured whey proteins, 487
Non-thermal inactivation with high pressure CO^2 of lactic acid bacteria, 125
Noodles from varying mixtures of tapioca starch and potato starch, 275
November shows highest fat content in anchovy seasonal variation, 401
Nuclear Magnetic Resonance *see* NMR
Nutrient, differences in camel and cow milk lipids, 229
loss in heat processed canned food, verifying quality degradation formula, 167
Nutritional quality, from infant formulae compared to those of breast milk, 533
higher in corn tortillas from extrusion than traditional processes, 391

Odour, of black tilapia flesh improved when washed with banana ash solution, 359
in different methods of salmon preservation and sensory evaluation, 115
Oil, absorption of velvet bean flours after heat processing, 131
content of anchovies and seasonal variation, 401
droplet surface and viscoelasticity of heat-set whey protein emulsion gels, 493
Oil/water, interfaces in ageing of chemical structure of βLg in protein-stabilized emulsions, 503
interfacial adsorption in enriched whey proteins, 573, 587

© 1999 Blackwell Science Ltd

Oleuropein varies and decreases in different varieties of maturing olives, 265
Olives and changes in phenolic content during maturation, 265
Onion and kinetics of storage non-enzymatic browning time, temperature, and moisture, 343
Optimizing, process-quality of vacuum freeze-dry apple slices by RSM, 145
use of microwave heating in food processing with MRI, 305
Oreochromis mossambicus see black tilapia
Organic-water solvent mixtures and stability of neohesperidin DC, 291
Osmotic pressure, and high water activity hydrogels with salt or glucose, model, 235
and membrane sucrose concentration polarization with maple sap, 217
Ostwald maturation in freeze-dried apple slices and RSM process-quality optimization, 145
Ovine milk characteristics compared to bovine and caprine, 245
Ovomucin depletion before egg white microfiltration and physical properties changes, 27
Oxidative lipid and pieces of gelatin dipped cooled ham and bacon in frozen storage, 385
Oxygen scavengers and colour stability of bovine muscles in MAP storage, 71

Packaging, and atmosphere for pieces of gelatin dipped cooled ham and bacon in frozen storage, 385
mixed cooked and raw RTU vegetables, acidification, storage temperature and pathogens, 317
with oxygen scavengers, colour stability of steaks, 71
Palatibility, and *Lactococcus lactis* as starter for protein-high wara cheese, 325
Pancreatic amylase and enzyme-resistant potato starch processing, 281
Papain in protease hydrolysis of food proteins, 95
Papaya pulp after gamma-irradiation identified with ESR, 173
Paramagnetic radicals in fruit pulp after gamma-irradiation, 173
Particle size, of cocoa instant beverage powder and wettability, 335
and colour of field peas extracted protein, 33
see also size
Pasteurization, of cupuaçu puree, kinetics and colour changes, 87
helped by nisin in fruit juices, 81
see also heat, *and* thermal processing
Pathogen growth in mixed RTU vegetables acidification, storage and temperature, 317
Pathogens, packaging and food safety with minimal processing of vegetables: Review, 1
Patterns of heat transfer with microwave phase control heating, 305
PDS and βLg sulphur-disulphide exchange and relation to protein conformational stability, 483
Pearl grain productivity from pre-treatments in dehulling pigeon peas, 107
Peas *see* field peas
Pelargonic and decanoic acids in mature camel milk, 229
Penentration of microwave phase control heating and imaging, 295, 305
Peptides modified in ageing of chemical structure of βLg in protein-stabilized emulsions, 503
Permeate flow rate, membrane sucrose concentration polarization and reverse osmosis, 217
pGAPZaA vector for βLg expression in recombinant wild-type and mutant in *Pichia pastoris*, 445
pH, and aggregation from intermolecular interaction in denaturation of bovine βLg, 419, 451
and changes in conformational mobility in βLg at neutrality, 409
and changes in physical properties in nata production, 23
concentrations, viscosity, and stability with EPS/AWC in whey protein interactions, 487
and denaturation of cow, goat and ewe's milk differing proteins, 245
and DSC measurement of different sources of βLg, denaturation and aggregation rates, 477
ELG molten globule and folding states, 437
and formation of two different gels from βLg at neutral or isoelectric point, 419
of gari processed with microwave energy is improved, 365

 © 1999 Blackwell Science Ltd

high, gelation with low salt at 67.5 degrees C. interactions of βLg and α-LA, 557
kinetics of moisture uptake, solids concentration and milk fat for R-T-E cereals, 47
and lupin protein isolates thermally induced networks, 253
and noncovalent aggregation of unfolded βLg molecules or SH/SS, 467
and ovomucin depletion in microfiltration of egg white, 27
and packaged cooked and raw RTU mixed stored vegetables, 317
in protein high moisture extrusion, fibres and rheological properties: Review, 195
and surface rheology of βLg variants A and B, adsorption rate and diner-monmer equilibrium, 509
temperature and control by nisin of *Alicyclobacillus acidoterrestris*, 81
in washing and food safety of minimally processed vegetables: Review, 1
Phase boundaries in EPS/whey proteins interaction, viscosity and spinodal decomposition, 487
Phenolic content changes during maturation of olives, 265
Phosphate buffers and the rate of denaturation and aggregation of βLgs' differences, 477, 587
Phosphates, size of pieces and sensory quality of reformed pigmeat shoulder, 101
Phospholipids, and interaction with bovine βLg in denaturation to gel microstructures, 419
Phosphorylated tapioca starch and potato starch noodles, physical characteristics, 275
Phycocolloid gels, determination and correlation of sorption isotherms, 209
Physical characteristics, of lupin protein isolates thermally induced networks, 253
of potato and tapioca starch mixtures, 275
Physical properties, affected in processing for nata production, 23
of and drying methods for field pea protein isolates, 33
Physico-chemical properties of 9 large scale whey protein products, 587
Pichia pastoris and expression of recombinant wild-type and mutant βLgs, 445
Pigeonpea grain, strength and dehulling properties after pre-treatments, 107
Pigmeat, gelatin dip for small pieces before frozen storage for quality, 385
shoulder reformed and effects on qualities by phosphates and size of pieces, 101
Pisum sativum L. *see* field peas
Poiseuille law and fouling of membrane in reverse osmosis of maple sap, modelling, 217
Polyphosphates, reformed pigmeat shoulder, size of pieces, productivity and sensory qualities, 101
Polysaccharide gels, determination and correlation of sorption isotherms, 209
Potato, enzyme-resistant starch and effects of cooking methods, 281
starch noodle, physical characteristics with tapioca mixtures, 275
starch in study of rheological properties of starch-water-sugar systems, 371
Powders of instant cocoa beverage, characterization of wetting behaviour, 335
Preservation methods for salmon and free-choice profiling sensory evaluation, 115
Pressure, storage and food safety of minimally processed vegetables: Review, 1
Pressures and water activity on hydrogels with salt or glucose solutions, 235
Process-quality of vacuum freeze-dried apple slices optimized by RSM, 145
Processing, packaging and food safety of minimal processed vegetables: Review, 1
Productivity from size of pieces, phosphates and sensory quality of reformed pigmeat, 101
Propyl gallate-washed beef heart surimi improves flavour of restructured beef steaks, 351
Protease, soluble and immobilized, and total hydrolysis of proteins, 95
Protein, apparent chemical compositions from whey products of large scale processing, 543
βLg in denaturation in solution, aggregation of expanded monomers and homodiners, 429
βLg from cow milk's properties not further deductable from X-ray crystallographic analysis, 409
conformational stability and relationship between βLg and PDS, 483
efficiency ratio higher in corn tortillas after extrusion than traditional processes, 391
folding now represented by X-ray crystallography, 409, 587
isolates from lupin flour, thermally induced networks' physical characteristics, 253
mean densities and use of whey, amino acid profiles and casein in infant nutrition, 533

© 1999 Blackwell Science Ltd

production and shelf-life from starter selection for wara (cheese), 325
solubility of velvet bean flours after heat processing, 131
texturization in high moisture twin screw extruders: Review, 195
variations in milk proteins from different breeds of Portuguese sheep and goats, 245
Protein Stability-Function Relations *see* PSFR
Protein-stabilized emulsions and chemical changes in βLg structure with age, 503
Proteins, at low cost from high moisture extrusion products: Review, 195
hydrolysed by soluble and immobilized protease, 95
isolated from field peas, drying and physical properties, 33
see also whey proteins
Pyridine disulfide *see* PDS

Quality, assessment of gari processed with microwave energy, 365
in thermally processed canned foods, formula for estimating degradation verified, 167
of tortillas from corn flour after extrusion or traditional processing, 391

Rate of aggregation is 1.5 for both A and B variants of βLg, 451
Reaction kinetics for aggregated whey proteins with shear and lactose, 523
Ready to use, mixed vegetables, storage temperature and acidification effect on pathogens, 317
vegetables, pathogens, MAP, processing and food safety: Review, 1
Ready-to-eat cereals faster hydration with low fat milk, 47
Recombinant wild-type and mutant βLgs expression in the yeast *Pichia pastoris*, 445
Reformed shoulder pigmeat qualities with polyphosphates and size of pieces, 101
Rehydration of vacuum freeze-dried apple slices and RSM process-quality optimization, 145
Reliability of testing of apparent chemical compositons of large-scale processess for whey proteins, 453
Residual salts and denaturation temperature and aggregation of βLg, 481
Response Surface Method *see* RSM
Restructured beef steaks with beef heart surimi improved flavour, texture and yield, 351
Reverse osmosis and membrane sucrose concentration polarization with maple sap, 217
Reversed phase liquid chromography in measurement of whey proteins from large-scale processing, 453
Rheological properties, of βLg and α-LA in *MADGELAS* survey of whey proteins, 565
of enriched whey proteins, lactosylation and gel stiffness, 587
of high moisture extrudates, energy requirements and food products: Review, 195
of starch-water-sugar systems, 371
RSM and hydrolysis in high moisture twin screw food extruder: Review, 195

Saccharification after starch hydrolysis from high moisture extrusion bioractors: Review, 195
Salmo salar see salmon – Atlantic
Salmon preservation methods sensorarily evaluated using free-choice profiling, 115
Salmonella, storage and food safety of minimally processed vegetables: Review, 1
Salt, and changes in physical properties in nata production, 23
and DSC measurement of different sources of βLg, denaturation and aggregation rates, 477
and the electrostatic interaction of surface rheology of A and B variants of βLg, 509
and extraction of protein isolates from field peas, 33
and glucose solutions in hydrogels, osmotic and network pressures model, 235
high pH at 67.5 degrees C. gelation, interactions of βLg and α-LA, 557
improved shelf-life from *Lactococcus lactis* starter for protein-high wara cheese, 325
and lupin protein isolates thermally induced networks, 253
and opacity of gels from whey proteins from large scale processing, 587
and ovomucin depletion in microfiltration of egg white, 27

 © 1999 Blackwell Science Ltd

possible changes in properties and pH in X-ray crystal studies, 409
Salts, in βLa and α-LA in MADGELAS survey of whey proteins rheological properties, 565
Scarification pre-treatment and productivity in pigeonpea grain dehulling, 107
Scraped surface heat exchanger and effects of shear on aggregated whey proteins, 523
Screw speed and high moisture food extruders, protein rheological properties: Review, 195
Seasonal variation in oil content of anchovies, 401
Seed coat adhesion of pigeonpea grain after pre-treatments, 107
Sensory, analysis of texture of stirred yoghurt from EPS-producing strains, 137
attributes of black tilapia flesh improved when washed with banana ash solution, 359
evaluation of salmon preservation methods using free-choice profiling, 115
perception of yoghurt from EPS-producing strains of thermophilic lactic acid bacteria, 137
properties of restructured beef steak improved with beef heart surimi, 351
qualities of fermented cassava mash (gari) produced by microwave energy, 365
Sensory quality, of canned mushrooms acidified with glucono-DDD-lactone, 161
reformed pigmeat shoulder, polyphosphates and size of pieces, 101
tapioca and potato starch noodle, 275
Serum binding, in effects on aggregated whey proteins of shear, lactose and heating temperature, 523
SH activity in βLg, temperature and pH effects on thiol, 409
Shear, effects of lactose and temperature on whey proteins aggregate size and structure, 523
and elastoviscosity in heat-set whey proteins with surfactants, depletion flocculation, 493
forces in high moisture food extruders and protein rheological properties: Review, 195
thickening in studies of rheological properties of starch-water-sugar systems, 371
Sheep and goats' milk proteins and genetic variation, electrophoresis, 245
Shelf-life, of cocoa instant beverage powders after steam jet agglomeration, 335
of coffee roasted with sugar, temperature and water isotherms, 287
and colour stability of frozen stored pieces of cooked bacon and ham after gelatin dip, 385
and detection of irradiated lamb meat with bone, 41
of neohesperidin DC in water-organic solvent mixtures, 291
and oxygen scavengers for six beef muscles, colour stability, 71
packaged cooked and raw RTU mixed vegetables, 317
and protein production from starter selection for wara cheese, 325
of protein-stabilized emulsions and chemical changes in βLg structure, 503
of restructured beef steak improved with propyl gallate-washed beef heart surimi, 351
salmon preservation methods and sensory evaluation by free-choice profiling, 115
Shrimp chitin and enzyme immobilization in hydrolysis of food proteins, 95
Size, of AWC particles in whey proteins, viscosity and phase separation with EPS mixture, 487
of cocoa instant beverage powder particles and wettability, 335
and lactosylation of aggregates in enriched whey proteins processed on large scale, 587
of meat pieces, phosphates and sensory quality of reformed pigmeat shoulder, 101
of particles and viscoelasticity of heat-set whey protein emulsion gels, 493
preferential of globules in aggregation of βLg, 453
and structure in aggregated whey proteins affected by shear, lactose and temperature, 523
Smoking lightly preserved salmon, sensory evaluation by free-choice profiling, 115
Sodium hypochlorite, and food safety of minimally processed vegetables: Review, 1
Sodum apple leaves as possibly toxic starter for wara protein, minerals and storage, 325
Solids concentration, kinetics of moisture uptake and milk fat for R-T-E cereals, 47
Soluble and immobilized protease in hydrolysis of food proteins, 95
Sorption heat in agar-water gels determined by gravimetric procedure, 209
Sorption isotherms, of high water activity hydrogels, model, 235
of phycocolloid gels determination and correlation, 209

© 1999 Blackwell Science Ltd

roasted coffee and with sugar, shelf-life and moisture, 291
Soybeans and egg white proteins in soluble and immobilized protease hydrolysis, 95
Specific surface, activity of preheated βLg with added isoamyl acetate, 517
of reformed pigmeat shoulder, phosphates, size of pieces and sensory qualities, 101
Sphinglomyelin *see* SM
Spinodal decomposition in two-phase region of EPS/AWC mixtures of whey protein interaction, 487
Spoilage of fruit juices by *Alicyclobacillus acidoterrestris* and control by nisin, 81
Spores of bacteria, low moisture glass transition and dormancy, 59
Spray drying of field pea protein isolates and functional properties, 33
Spread layers and the A and B genetic variants of βLg's surface rheology, 509
Stability, of aggregate of whey proteins, lactose, shear and heating temperature, 523
of βLg structures and rate of sulphur disulphide exchange/PDS, 483
of protein structures in equine milk whey and entropy factors, 437
viscosity, concentrations and pH with EPS/AWC in whey protein interactions, 487
of water-organic solvent mixtures and neohesperidin DC, 291
Starch, from potato and tapioca in sensory quality of noodles, 275
hydrolysis from high moisture extruders leading to saccharification for high DE syrup: Review, 195
Starch-water-sugar systems, rheological properties with corn and potato, 371
Starter selection for shelf-life and protein production in wara, 325
Steaks restructured with beef heart surimi improved flavour, texture and yield, 351
Steam jet agglomeration of instant cocoa beverage powders, wetting behaviour, 335
Sterilization and quality degradation factor, verification of formula for canned foods, 167
Stickiness, of tapioca starch and potato starch noodle mixtures, 275
Storage, different methods of salmon preservation and sensory evaluation, 115
of frozen pieces of gelatin dipped cooled ham and bacon, oxidation and colour stability, 385
of frozen restructured beef steak improved with propyl gallate-washed beef heart surimi, 351
and kinetics for frozen onion and strawberry non-enzymatic browning, 343
of minimally processed vegetables and food safety: Review, 1
and protein production from starter selection for wara, 325
of protein-stabilized emulsions and chemical changes in βLg structure, 503
temperature and acidification of RTU mixed vegetables, 317
β-strand I in equine milk proteins in comparison with βLg and HLZ, and calcium, 437
β-strands of βLg part of the calyx-like fold of the hydrophobic pocket of lipocalins, phosphate binding, 483
Strawberry and kinetics of storage non-enzymatic browning time, temperature, and moisture, 343
β-strand I, modification and recombinant wild-type and mutant βLgs in *Pichia pastoris*, 445
Strength, and dehulling properties after pre-treatments of pigeonpea grain, 107
of tapioca starch and potato starch noodle mixtures, 275
Structural analysis of bovine βLg not now helpful in discussion of properties, 409
Structure, and aggregation of bovine βLg in denaturation to gel microstructures, 419
analysis of bovine βLg from x-ray crystallogrphy shows no further insight into functions, 409
of equine milk proteins compared to bovine and conformation of I strand, 437
of whey proteins aggregates affected by shear, lactose, heating temperature and particle size, 523
Subsite structure in equine milk proteins and metal binding properties, 437
Sucrose, concentration polarization from reverse osmosis with maple sap, model, 217
in penetration of starches in starch-water-sugar systems, 371
Sugar isotherms and BET equations for coffee roasted with sugar, 287
Sugar-starch-water systems, rheological properties with corn and potato, 371
Sulphur-disulphide exchange between βLg and PDS and relation to protein conformational stability, 487

 © 1999 Blackwell Science Ltd

Sulphydryl, groups in measurement of degree of lactosylation of βLg in large scale processes, 453
reactivation at higher temperatures with state of lactosylation, 587
reactivity and disruption to subunits in βLg, 409
and reactivity in study of enriched whey proteins' interfacial properties, 573
see also SH
Surface, cation-rich of βLg and postulated inhibition of aggregation at high temperatures, 477
hydrophobicity of glycated βLg and native in solution and dry-way, 429
Surface tension, dilational modulus, pH and compression behaviour of A and B variants of βLg, 509
and viscoelastic properties of whey protein preparations, 573, 587
Surfactants and viscoelasticity of heat-set whey protein emulsion gels, 493
Surimi of beef heart in restructured beef steaks improved sensory properties, 351
Sweet corn and bacteria in packaged cooked and raw RTU mixed stored vegetables, 317
Swelling capacity of gari processed with microwave energy is improved, 365
Swelling index of tapioca starch and potato starch noodle mixtures, 275
Syneresis and sorption isotherm of salt or glucose solution hydrogels, 235
Syrup from high moisture extrusion, starch hydrolysis and saccharification: Review, 195

Tanford transition in βLg when pH at 6-8, Cys activity and Glu89, 409, 509
Tangetical flow rate, membrane sucrose concentration polarization and reverse osmosis, 217
Tapioca and potato starch noodle, physical characteristics, 275
TBARS, and colour stability of frozen stored pieces of cooked bacon and ham after gelatin dip, 385
of restructured beef steak improved with propyl gallate-washed beef heart surimi, 351
Temperature, of aggregation of whey proteins affected by shear, lactose, particle size and structure, 523
and conformational mobility of βLg in denaturation and aggregation of whey proteins, 409-487
and determination of isotherms of water agar-agar gels, 209
distribution with microwave phase control heating processing, 295, 305
and enhancement of foaming properties in βLg with isoamyl acetate, 517
in freeze-dried apple slices and RSM process-quality optimization, 145
and high pressure CO^2 inactivation of lactic acid bacteria, 125
hygroscopic solids and water activity, sorption isotherms, 209
of inhibition of pathogens by pressurized carbon dioxide: Review, 1
in kinetics of heat denatured aggregation of bovine βLg, 467
kinetics of moisture uptake, solids and milk fat for R-T-E cereals, 47
and kinetics for onion and strawberry frozen storage non-enzymatic browning, 343
and maple sap membrane sucrose concentration polarization and reverse osmosis, 217
in pasteurization of cupuaçа puree, colour changes and kinetics model, 87
pH and control by nisin of *Alicyclobacillus acidoterrestris*, 81
and physical characteristics of networks of lupin protein isolates, 253
and physical properties changes in nata production, 23
pre-treatment and productivity in pigeonpea grain dehulling, 107
in quality degradation factor for canned foods, formula verification, 167
salt, high pH for gelation, interactions of βLg and α-LA, 557
and shelf-life of coffee roasted with or without sugar, 287
stabiltity of neohesperidin DC in water-organic solvent mixtures, 291
storage and acidification of RTU mixed vegetables, 317
storage and food safety of minimally processed vegetables: Review, 1
Terrefacto (coffee roasted with sugar) and ordinary roast coffee, sorption isotherms, 287
Texture, of black tilapia flesh improved when washed with banana ash solution, 359
with βLg and α-LA in MADGELAS survey of whey proteins rheological properties, 565
of canned mushrooms acidified with glucono-DDD-lactone and best temperature/times, 161

© 1999 Blackwell Science Ltd

and changes in physical properties in nata production, 23
from different methods of salmon preservation and sensory evaluation, 115
and *Lactococcus lactis* as starter for protein-high wara cheese, 325
of low-cost protein from high moisture extrusion products: Review, 195
of restructured beef steak improved with propyl gallate-washed beef heart surimi, 351
of stirred yoghurt from EPS-producing thermophilic lactic acid bacteria, 137
of vacuum freeze-dried apple slices and RSM process-quality optimization, 145
Theobroma grandiflorum see cupuaça
Thermal, degradation and kinetics for strawberry and onion non-enzymatic browning, 343
imaging in microwave phase control heating and food processing, 295, 305
processing of cupuaça puree, colour changes, critical times and kinetics, 87
stability of denaturation and aggregation of different βLgs, 477
transition of lupin protein isolates networks and characteristics, 253
Thermophilic lactic acid bacteria from EPS-producing strains and stirred yoghurt, 137
Thiamine retention in verification of formula of quality degradation factor for canning foods, 167
Thiobarbituric acid-reactive substances *see* TBARS Thiol in βLg identified as Cystine 121, increased activity at neutral pH and heat, 409, 429
Thiol-catalysed aggregation of βLg, kinetics and links, 467
Tilapia (black) flesh sensory attributes improved when washed with banana ash solution, 359
Time, and heat treatment of canned mushrooms acidified with glucono-DDD-lactone, 161
and kinetics for onion and strawberry non-enzymatic browning, 343
and surface rheology comprisons of A and B variants of βLg, 509
of vacuum freeze-dried apple slices and RSM process-quality optimization, 145
Tomato pulp after gamma-irradiation identified with ESR, 173
Tortillas, corn flour quality afer extrusion or traditional processing, 391
Transition of native to unfolded βLg through molten globule state, 483
Transparency of tapioca starch and potato starch noodle mixtures, 275
Triglyceride content measured from nine large-scale processes for whey proteins, 453
Tryptophan, difficulties in reaching breast milk levels in infant nutrition, 533
spectrofluoresence and preheated and non-heated βLg and isoamyl aceatate, foaming properties, 517
Twin screw extruders with high moisture and production of low-cost proteins: Review, 195
Tyrosol and other phenolic contents on maturation of olive varities, 265

Ultrafiltration in concentrating field peas protein isolates, 33
Unfolding, of βLg structure during denatuation and aggregation, 409, 419
in effects on aggregated whey proteins of shear, lactose and heating temperature, 523
partial, in globules in aggregation and gelation of βLg, 451
of structure of βLg,and aggregation via hydrophobicand thiols disuphlide exchange, 429
Urea in pre-treatments for productivity in dehulling pigeonpea grain, 107

Vacuum freeze-drying of apple slices process-quality optimized by RSM, 145
Variants of strains of bovine βLg, and differentation, 409
see also genetic variants
Variation in protein levels and temperature effects in manufacture of infant formulae, 533
Varieties of olives and differing amounts and times of phenolic contents, 265
Vegetables, cooked and raw, storage temperature, acidification and pathogens, 317
minimal processing and microbiological safety: Review, 1
non-enzymatic browning kinetics for onion in frozen storage, 343
Velvet bean flours, composition and functional properties, 131
Verbascoside and other phenolic contents on maturation of olive varities, 265

 © 1999 Blackwell Science Ltd

Verification of formula for quality degradation factor in thermally processed canned foods, 167
Viruses, storage and food safety of minimally processed vegetables: Review, 1
Viscoelastic properties and surface tension of whey protein preparations, 573
Viscoelasticity of heat-set whey protein emulsion gels and surfactants in varying concentrations, 493
Viscosity, kinetics of moisture uptake, solids concentration and milk fat for R-T-E cereals, 47
  stability, concentrations and pH with EPS/AWC in whey protein interactions, 487

Wara cheese and selection of starters for shelf-life and protein production, 325
Washing, with banana leaf ash solution improves sensory attributes of black tilapia flesh, 359
  packaging and storage of minimally processed vegetables: Review, 1
Water absorption of velvet bean flours after heat processing, 131
Water activity, of coffee roasted and with sugar, model, 287
  in hygroscopic solids and sorption isotherms correlation, 209
  and pressures on hydrogels with salt or glucose and syneresis, 235
Water binding in adsorption and desorption in water agar-agar gels, hysteresis, 209
Water content of anchovies and seasonal variation, 401
Water *see also* moisture
Water-organic solvent mixtures and stability of neohesperidin DC, 291
Water-sugar-starch systems, rheological properties with corn and potato, 371
Weibull probalistic model efficient for kinetics of moisture uptake for R-T-E cereals, 47
Weight loss from beef muscle and colour stability with oxygen scavengers, 71
Wetting time of cocoa instant beverage powders with steam jet agglomeration, 335
Whey, and characterisation of ewe and goats' milk proteins, electrophoresis, 245
Whey proteins, : papers of Conference at Hannah Research Institute: MADGELAS Group, 407-587
  aggregate size and structure affected by lactose, shear and heating temperature, 523
  apparent chemical composition from nine large-scale processes, 453
  depletion interaction, stability, viscosity, concentrations and pH with EPS/AWC mixtures, 487
  and emulsiifiers, competitive adsorption and elastoviscosity, 493
  mean densities, amino acid profiles, caseins, α-LA, βLg and lactoferrin for infant nutrition, 533
  and rheological properties of products in the MADGELAS survey, 565
  viscoelastic and surface tension measurements and air/aqueous interface films, 573
Williams-Landel-Ferry model, kinetics for stored strawberry and onion non-enzymatic browning, 343

X-ray crystallography, and properties of bovine βLg from milk whey, 409
  and some physico-chemical properties of whey proteins from 9 large scale processes, 587

Yeasts, in expression of recombinant wild-type and mutant βLgs, 445
  storage and food safety of minimally processed vegetables: Review, 1
Yersina enterocolitica, storage and food safety of minimally processed vegetables: Review, 1
Yield, of canned mushrooms acidified with glucono-DDD-lactone and optimized temperature/times, 161
  of restructured beef steak improved with propyl gallate-washed beef heart surimi, 351
Yoghurt, and EPS/AWC interactions' effect on phase separation and functional properties, 487
  from EPS-producing strains of thermophilic lactic acid bacteria, 137

© 1999 Blackwell Science Ltd